Total vegetation cover soil protection Region:NRM Wimmera VIC

Date: October 2002

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Oct 2002

Land use and forest cover

Proportion of each land class in area




12%200%

5201070010


· 320050010


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Area not protected

Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)


(2018) and Forests


of Australia (2018)

Derived from

Use of Australia

2






Conservation and natural environments


forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments - Woodland






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)








Conservation and natural environments non forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



12%100%


52010010010

3201050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Conservation and natural environments non forest timeseries










Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



12%100%


· 52°10'10°10

3201050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Conservation and natural environments Woodland forest timeseries



100.0

97.5

95.0-

92.5

90.0


87.5

85.0-


82.5

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Conservation and natural environments Forest (non woodland)

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

· 52°10'10°10


· 3200-500%

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are

in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 95 93.6 --- above_70 90 **——** 10th **——** 50th **—** 2002 Oct 85 80 75 70 Jan feb May Inu P.Q 1st Mar month FERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

Catchment Scale


of Australia (2018)

Derived from

Use of Australia (2018) and Forests of Australia (2018)


Land Use and Forests

Catchment Scale Land





Land use and forest cover

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







1 Agriculture - Grazing - Non forest

2 Agriculture - Grazing - Woodland forest


4 Agriculture - Cropping - Non-irrigated




Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Deciles show where the





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Agriculture timeseries






Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Grazing non forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



120010001 52°10°10°10 32°1050°10 0.30%

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]



Area not protected 1.0% of region (7,246 ha) Area protected 99.0% of region (717,378 ha)

Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of

the map using baseline from 2001 to 2019.


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing non forest timeseries



Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing Woodland forest


12%100%

· 52°10°10°10


320050010

0.30%


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





---- above_70


— 2002 Oct

—— 10th

—— 50th


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 98 96 94 92 90 88 86 84 Jan 4eb May In Mai PQ1 month ERN (III) CSIRO Australian Government


Wind erosion historical monthly area protected (Total Veg Cov >50%)



Cropping


Catchment Scale Land Use and Forests of Australia (2018)

Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries



Production native forests and plantation forests

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



12%200%


· 52°10'10°10

32005000


0.30%

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







---- above_70

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



Wimmera (2,330,175 ha and no data 15,337 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,330,175	100.0% 2,329,574	98.5% 2,295,921	71.1% 1,657,219	48.5% 1,129,157	18.6% 433,958	4.6% 107,263
Conservation and natural environments	276,275	99.9% 276,100	99.6% 275,075	94.0% 259,625	82.0% 226,600	40.5% 111,975	9.8% 27,100
Conservation and natural environments non forest	46,025	99.7% 45,875	98.3% 45,225	84.2% 38,775	63.8% 29,350	18.7% 8,600	5.0% 2,300
Conservation and natural environments Woodland forest	202,900	100.0% 202,875	99.8% 202,525	95.4% 193,575	84.0% 170,400	42.3% 85,775	9.4% 19,125
Conservation and natural environments Forest (non woodland)	27,350	100.0% 27,350	99.9% 27,325	99.7% 27,275	98.2% 26,850	64.4% 17,600	20.7% 5,675
Agriculture	1,908,925	100.0% 1,908,525	98.3% 1,876,575	66.4% 1,266,800	41.3% 788,975	13.8% 263,275	3.3% 62,175
Grazing	778,050	99.9% 777,650	99.4% 773,400	89.9% 699,275	71.9% 559,625	28.8% 223,725	7.0% 54,675
Grazing non forest	724,625	99.9% 724,225	99.4% 720,125	89.5% 648,200	71.2% 515,975	28.1% 203,525	6.9% 49,875
Grazing Woodland forest	49,525	100.0% 49,525	99.7% 49,375	95.3% 47,175	80.5% 39,850	35.6% 17,650	8.2% 4,050
Cropping	1,125,600	100.0% 1,125,600	97.5% 1,097,900	50.0% 562,475	20.1% 225,850	3.4% 38,325	0.6% 7,150
Production native forests and plantation forests	93,650	100.0% 93,650	99.6% 93,300	96.4% 90,250	90.2% 84,450	51.5% 48,225	16.9% 15,850

