Total vegetation cover soil protection Region:NRM Wimmera VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: November 2005

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Vegetation Cover Nov 2005

Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each pixel is from

the mean. That

is, red pixels are about 20%

lower than the mean of that

pixel. The mean is only for the


using baseline from 2001 to

2019.


month of the map

Derived from


Use of Australia




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the mean of that pixel. The mean

the mean. That

is only for the month of the map

using baseline from 2001 to 2019.




70 - 70.0% - 60 - 50 - 20.5% - 20 - 20.5% - 9.5% - 9.5% - 9.5% - 9.5% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0% - 70.0%

Proportion of each land class in area


Total Vegetation Cover [%]

Land use and forest cover




Proportion of vegetation cover class in area


Land use class




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Conservation and natural environments timeseries









Conservation and natural environments non forest

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the mean of that pixel. The mean


the mean. That


is only for the month of the map

using baseline from 2001 to 2019.




Total Vegetation Cover [%]






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Conservation and natural environments non forest timeseries





Wind erosion historical monthly area protected (Total Veg Cov >50%)







Conservation and natural environments Woodland forest


Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]






Proportion of vegetation cover class in area

% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)

Total Vegetation Cover class




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





















month





Conservation and natural environments Forest (non woodland)

Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the mean of that

pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.























month





Agriculture

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


the mean. That




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Agriculture timeseries





Wind erosion historical monthly area protected (Total Veg Cov >50%)






Grazing


Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

















Grazing timeseries









Grazing non forest

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Grazing non forest timeseries









Grazing Woodland forest

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the mean of that pixel. The mean


the mean. That

is only for the month of the map


using baseline from 2001 to 2019.




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Grazing Woodland forest timeseries





month





Cropping

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


the mean. That




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Cropping timeseries









Production native forests and plantation forests

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the mean of that pixel. The mean


the mean. That

is only for the month of the map


using baseline from 2001 to 2019.




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















Production native forests and plantation forests timeseries





month





Wimmera (2,329,400 ha and no data 16,112 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,329,400	100.0% 2,329,025	99.7% 2,322,153	80.5% 1,875,254	51.5% 1,199,984	17.5% 407,416	3.4% 79,064
Conservation and natural environments	277,600	100.0% 277,475	99.6% 276,550	96.4% 267,625	85.9% 238,500	36.7% 101,850	5.9% 16,400
Conservation and natural environments non forest	47,375	99.7% 47,250	99.2% 46,975	91.0% 43,100	71.7% 33,975	15.5% 7,350	5.2% 2,475
Conservation and natural environments Woodland forest	202,750	100.0% 202,750	99.7% 202,100	97.2% 197,100	87.5% 177,475	37.2% 75,400	4.2% 8,475
Conservation and natural environments Forest (non woodland)	27,475	100.0% 27,475	100.0% 27,475	99.8% 27,425	98.5% 27,050	69.5% 19,100	19.8% 5,450
Agriculture	1,909,125	100.0% 1,908,900	99.7% 1,903,300	77.2% 1,473,750	44.3% 845,800	13.1% 249,325	2.6% 48,775
Grazing	778,125	100.0% 777,900	99.8% 776,350	94.4% 734,375	73.8% 574,175	26.5% 206,025	5.1% 39,775
Grazing non forest	724,700	100.0% 724,475	99.8% 723,025	94.2% 682,425	73.2% 530,700	26.2% 189,675	5.2% 37,475
Grazing Woodland forest	49,525	100.0% 49,525	99.8% 49,425	97.0% 48,050	80.1% 39,675	28.1% 13,925	3.0% 1,475
Cropping	1,125,725	100.0% 1,125,725	99.6% 1,121,675	65.2% 734,200	23.8% 267,600	3.7% 42,050	0.8% 8,725
Production native forests and plantation forests	93,650	100.0% 93,650	99.8% 93,500	98.3% 92,100	92.0% 86,150	51.0% 47,725	13.1% 12,275











