## Total vegetation cover soil protection Region:NRM Wimmera VIC

## Date: October 2008

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



## **Vegetation Cover Oct 2008**

#### Land use and forest cover

#### Proportion of each land class in area




12%200%

5201070010


· 32°10'50°10


0.30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)





#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



Area not protected 1.0% of region (23,301 ha) Area


**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)


(2018) and Forests

of Australia (2018)

Derived from


Use of Australia





100.0 \_\_\_\_\_99.5\_ 97.5 95.0 92.5 ---- above\_50 **——** 10th **--** 50th 90.0 **—** 2008 Oct 87.5 85.0-82.5 4eb S JUJ Mai 291 1's Not Water erosion historical monthly area protected (Total Veg Cov>70%) 100-90 80 above 70 70 **—** 10th **——** 50th **2008** Oct 60 575 50 40 ier o In Mai 291 <u>S</u> Way Rainfall: historical monthly 140 120rainfall (mm) ۱۵۵ ما ••• 40 20 0 Yar 4er way 1<sup>1</sup> In Þb, Wal BOOM TERN


Australian Government



#### **Conservation and natural environments**


forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments - Woodland




#### Proportion of each land class in area




#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Water erosion historical monthly area protected (Total Veg Cov>70%)


#### **Conservation and natural environments non forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 


Land use and forest cover














#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

## **Conservation and natural environments non forest timeseries**




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





#### **Conservation and natural environments Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



12%100%


52°10°10°10

32°1050°10


0.30%

**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



100.0

97.5

95.0

92.5

90.0


87.5

85.0


82.5

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)



### **Conservation and natural environments Forest (non woodland)**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

· 52°10'10°10


· 3200-50010

0.30%


**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Land use and forest cover


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





**Total Vegetation Cover Decile [%]** 





Deciles show where the

pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

records for that month of

the map using baseline from 2001 to 2019.


in the lowest 10% of


## **Conservation and natural environments Forest (non woodland) timeseries**



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


### Agriculture

Land use and forest cover


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






## **Agriculture timeseries**

Wind erosion historical monthly area protected (Total Veg Cov >50%)




#### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







1 Agriculture - Grazing - Non forest

2 Agriculture - Grazing - Woodland forest


3 Agriculture - Grazing - Non-woodland forest




Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






#### **Grazing non forest**


Land use and forest cover





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## Grazing non forest timeseries

100-90 80 70-60-50lar feb May In Mai 291 1's month TERN (BOO) CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Grazing Woodland forest**


12%200%

· 52°10°10°10


320050010

0.30%


Land use and forest cover




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 98 96 94 92 90 88 86 84 Jan 4eb May PP In Mai 1<sup>1</sup>1 month ERN **HORA** CSIRO Australian Government



## Cropping


12%200%

, 52°1070010


32005001

0.30%


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





100-

80-


60-

40-


20

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## **Cropping timeseries**



Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Production native forests and plantation forests**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


pixel is from

is, red pixels are about 20% lower than the

mean of that pixel. The mean

from 2001 to 2019.

the mean. That



12%200%


· 52°10'10°10

32005000


0.30%

**Total Vegetation Cover [%]** 


Land use and forest cover



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

# Wimmera (2,330,175 ha and no data 15,337 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,330,175	99.8% 2,325,549	99.1% 2,309,121	79.9% 1,861,689	48.3% 1,125,055	12.0% 279,375	2.7% 62,386
Conservation and natural environments	277,100	98.4% 272,575	94.1% 260,725	81.3% 225,300	65.8% 182,350	17.1% 47,475	2.3% 6,350
Conservation and natural environments non forest	46,850	91.5% 42,875	75.1% 35,175	49.1% 23,000	30.5% 14,275	8.3% 3,900	3.6% 1,700
Conservation and natural environments Woodland forest	202,800	99.7% 202,250	97.7% 198,100	86.4% 175,200	70.9% 143,775	17.6% 35,625	1.6% 3,300
Conservation and natural environments Forest (non woodland)	27,450	100.0% 27,450	100.0% 27,450	98.7% 27,100	88.5% 24,300	29.0% 7,950	4.9% 1,350
Agriculture	1,909,075	100.0% 1,909,025	99.8% 1,904,625	78.7% 1,502,700	43.7% 834,225	10.1% 193,175	2.4% 46,300
Grazing	778,075	100.0% 778,050	99.7% 775,400	87.3% 679,500	65.8% 511,600	19.6% 152,500	4.7% 36,400
Grazing non forest	724,650	100.0% 724,625	99.6% 722,000	86.9% 629,825	65.4% 473,875	19.9% 144,150	4.9% 35,375
Grazing Woodland forest	49,525	100.0% 49,525	99.9% 49,500	92.4% 45,775	68.6% 33,950	13.1% 6,475	1.1% 525
Cropping	1,125,725	100.0% 1,125,700	99.8% 1,123,950	72.7% 818,125	28.3% 319,025	3.5% 39,950	0.9% 9,875
Production native forests and plantation forests	93,650	100.0% 93,650	100.0% 93,625	97.0% 90,875	84.4% 79,050	35.5% 33,225	9.4% 8,825

