# Total vegetation cover soil protection **Region:NRM Peel-Harvey Region WA**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















Date: January 2016

# **Vegetation Cover Jan 2016**


### Land use and forest cover




### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

























# **Conservation and natural environments**



# **Conservation and natural environments timeseries**









# **Conservation and natural environments non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




















# Conservation and natural environments non forest timeseries




# Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%) 95 area 06 **--** 50th \_\_\_\_ 2016 Jan % of the %28 80-2001200220032004200520062001200820092010201120122013201420152016201120182019

















# **Conservation and natural environments Woodland forest**


# **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland Catchment Scale-Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**

# 100 95.4% 80 Area (%) 20 4.5% 0.0%0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**


**Proportion of vegetation cover class in area** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.





























month





# **Conservation and natural environments Forest (non woodland)**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale-Land Use of Australia (2018) and Forests of Australia (2018) woodland forest

# **Total Vegetation Cover [%]**









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 100 95.9% 80 60 20 0.0% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**



























# **Agriculture**




# 70 -60 -50 -8 40 -20 -23.7%

10


**Proportion of each land class in area** 

### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area


Land use class




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















# **Agriculture timeseries**










# **Grazing**



# **Grazing timeseries**









# **Grazing non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)




















# **Grazing non forest timeseries**









# **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)




















# **Cropping timeseries**









# **Irrigation**


### Land use and forest cover




**Proportion of each land class in area** 




### **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















# **Irrigation timeseries**









# **Production native forests and plantation forests**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)




















# **Production native forests and plantation forests timeseries**







# Peel-Harvey Region (1,141,500 ha and no data 17,274 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,141,500	100.0% 1,141,200	99.8% 1,139,001	92.3% 1,053,552	62.5% 713,428	26.9% 306,868	10.3% 117,105
Conservation and natural environments	106,775	100.0% 106,750	99.8% 106,575	94.6% 101,000	75.2% 80,275	27.2% 29,000	9.8% 10,475
Conservation and natural environments non forest	15,225	99.8% 15,200	98.9% 15,050	88.3% 13,450	58.5% 8,900	9.4% 1,425	3.0% 450
Conservation and natural environments Woodland forest	53,550	100.0% 53,550	100.0% 53,525	95.4% 51,100	74.9% 40,125	15.1% 8,075	3.4% 1,800
Conservation and natural environments Forest (non woodland)	38,000	100.0% 38,000	100.0% 38,000	95.9% 36,450	82.2% 31,250	51.3% 19,500	21.6% 8,225
Agriculture	553,100	100.0% 553,075	99.9% 552,775	90.0% 497,575	44.9% 248,550	9.1% 50,300	2.8% 15,475
Grazing	131,750	100.0% 131,725	99.8% 131,550	94.9% 125,075	63.1% 83,200	20.4% 26,900	6.4% 8,475
Grazing non forest	130,775	100.0% 130,750	99.8% 130,575	94.9% 124,150	63.0% 82,375	20.4% 26,700	6.5% 8,475
Cropping	396,725	100.0% 396,725	100.0% 396,600	88.1% 349,600	37.0% 146,625	3.6% 14,475	0.7% 2,650
Irrigation	24,625	100.0% 24,625	100.0% 24,625	93.0% 22,900	76.0% 18,725	36.2% 8,925	17.7% 4,350
Production native forests and plantation forests	424,325	100.0% 424,275	99.8% 423,650	96.3% 408,600	83.8% 355,550	51.3% 217,675	20.4% 86,675











