Total vegetation cover soil protection Region:NRM Rangelands Region WA

Date: April 2005

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Apr 2005

Land use and forest cover




120001

52%70%


32005000


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Proportion of each land class in area


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


Derived from

Use of Australia




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Conservation and natural environments


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Total Vegetation Cover [%]













Proportion of each land class in area



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



protected 44.0% of region (58 ,242,250 ha) Area protected 56.0% of region (74 ,126,500 ha)

Area not

Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.


record, from highest to lowest, for that month. That is, red pixels are



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments non forest


Land use and forest cover







Total Vegetation Cover [%]






% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Area not


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



protected 47.0% of region (58 ,846,667 ha) Area protected 53.0% of region (66 ,359,007 ha)

Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the


record, from highest to

lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of


the map using baseline from 2001 to 2019.


Ø



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments Woodland forest

Land use and forest cover



Total Vegetation Cover [%]







1 Conservation and natural environments - Woodland

forest


% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


Derived from

Use of Australia (2018) and Forests of Australia (2018)




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

90 80 ---- above_70 **—** 10th **--** 50th **—** 2005 Apr 70 60 50


Jan feb May In PQ War month ERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Total Vegetation Cover [%]












100

80

<u>95.</u>2%



% Area protected from wind erosion (>50%)




Proportion of each land class in area

0.0%

8


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Area not protected 39.0% of region (31 ,710,919 ha) Area protected 61.0% of region (49 ,599,130 ha)

Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

record, from highest to lowest, for that month. That is, red pixels are




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture timeseries






13


Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]






1 Agriculture - Grazing - Non forest


% Area protected from water erosion (>70%)





Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



protected 39.0% of region (31 ,697,679 ha) Area protected 61.0% of region (49 ,578,421 ha)

Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

record, from highest to lowest, for that month. That is, red pixels are



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing timeseries




35 30 25 20 15 10 5 -4eb In Jan way War PQ hy month Hally-ERN Landcare CSIRO Programm Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing non forest


Land use and forest cover




1 Agriculture - Grazing - Non forest

Total Vegetation Cover [%]






% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)


Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from



Area not protected 41.0% of region (31 ,725,748 ha) Area protected 59.0% of region (45 ,654,126 ha)

Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

Grazing non forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





35 30 25 20 15 10 5 4eb May In Jan Wal PQ hy month (Mag) ERN CSIRO Programm Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing Woodland forest


120/0

52% 70%


32010

· 0.30%


Land use and forest cover




Total Vegetation Cover [%]








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are

in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

Grazing Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

In

month





Rangelands Region (216,681,125 ha and no data 1,716,073 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	216,681,125	98.6% 213,657,853	57.7% 124,988,871	12.0% 25,933,743	5.6% 12,093,834	1.5% 3,315,150	0.5% 1,156,714
Conservation and natural environments	132,368,750	98.3% 130,108,750	55.5% 73,522,350	12.1% 15,959,925	5.8% 7,717,650	1.5% 1,968,525	0.4% 558,500
Conservation and natural environments non forest	125,205,675	98.2% 122,946,450	53.0% 66,371,025	8.1% 10,120,950	3.7% 4,655,675	1.0% 1,222,250	0.3% 359,850
Conservation and natural environments Woodland forest	7,057,300	100.0% 7,056,725	99.8% 7,046,450	81.4% 5,742,200	42.3% 2,984,725	10.1% 709,775	2.6% 181,675
Agriculture	81,310,050	99.1% 80,592,475	60.7% 49,375,375	11.0% 8,983,625	4.5% 3,655,775	1.0% 839,750	0.2% 193,750
Grazing	81,276,100	99.1% 80,558,525	60.7% 49,347,075	11.0% 8,972,600	4.5% 3,649,475	1.0% 838,925	0.2% 193,575
Grazing non forest	77,379,875	99.1% 76,662,300	58.8% 45,460,850	9.6% 7,404,775	3.9% 3,023,075	0.9% 658,675	0.2% 142,200
Grazing Woodland forest	3,827,850	100.0% 3,827,850	99.7% 3,818,050	39.5% 1,511,225	15.8% 605,550	4.7% 178,525	1.3% 50,525

